



COMPACT AND POWERFUL!

This unit is designed for places with limited wall space. Since it works with forced-air, it's ideal for entrance way, kitchen, bathroom, family room and basement. Quiet fan operating at 40 cfm for 500W to 1000W units and 80 cfm for 1250W to 2000W units.

Register Wall Heater



STURDY AND DURABLE CONSTRUCTION

- Durable tubular heating element with fins.
- Baked epoxy/polyester powder coating providing an ultra-durable, easy-to-maintain finish.

QUIETER

For better control of air flow and noise level, unit motors vary in accordance with power ratings.

- The 500W and 1000W models are equipped with a 40 cfm motor, which emits a sound level of approximately 38 dBa.
- The 1500W and 2000W are fitted with a 80 cfm motor, which emits a sound level of approximately 41 dBa.



Register Wall Heater

Watts	Heats an area of about ¹	
	sq. ft.	sq. m
500	50	4.65
750	75	6.97
1000	100	9.29
1250	125	11.62
1500	150	13.94
2000	200	18.58

¹ Intended as a guide only. These calculations are based on a room with an 8 foot ceiling, R12 wall insulation and R20 ceiling insulation. The suggested heating capacity would then be able to keep the room temperature at 21 °C (70 °F) when the outdoor temperature is at -25 °C (-13 °F). The heating capacity required will vary depending on the area and volume of the room, the layout and orientation of the residence, its geographic location, type of construction, insulation and airtightness levels, as well as the size, type and orientation of the windows, etc.



Quiet unit



Easy to use



Sturdy construction