

An economical cooling option for the summer

Designed for installation inside a window, the WAG-C series is perfect for cooling rooms in the home with limited space. With adjustable louvers in four directions, the window air conditioners reduce unwanted humidity while simultaneously removing heat from the room.

> Window Air Conditioner

WAG Series



MODEL

Product #		WAG-C05KMCO110E	
Series		WAG-C	
ENERGY STAR		-	
Technical Performance			
Voltage	Volts	115V/60Hz	
Cooling capacity	BTU/hr	5000	
Used power input	W	450	
Rated current	A	4.5	
Energy efficiency rating	EER	11	
Air flow volume	m ³ /hr	240/170	
	cfm	141/100	
Dehumidification	l/hr	0.6	
	pt/day	30	
Application area	sq. ft. (sq.m)	150 (14)	
Sound level	dB	55/51	
Operating ambient temperature	°C (°F)	16-31 (61-88)	
Refrigerant		R32	
Functions			
Mecanic control		✓	
Auto fan		✓	
Timer		✓	
Energy saving mode		-	
Fan speeds mode with X speeds		2	
Dehumidifying mode		✓	
I FEEL mode		-	
Sleep mode		-	
Memory		✓	
Self-diagnosis		-	
Includes			
Washable filter		✓	
Remote control with battery		-	
Window filling panel		✓	
Mounting hardware		-	
Dimension			
Product dimension	W x H x D	in. (mm)	15.98 x 13.07 x 12.0 (406 x 332 x 305)
Package dimension (ISTA 1A)	W x H x D	in. (mm)	17.91 x 14.76 x 14.57 (455 x 375 x 370)
ISTA 1A	Qty/40HQ		1105

Standard color: White



An economical cooling option for the summer

Designed for installation inside a window, the WAG-A Series is perfect for cooling rooms from 250 sq. ft. up to 550 sq. ft. in size. With adjustable louvers in four directions, the window air conditioners reduce unwanted humidity while simultaneously removing heat from the room.

Window Air Conditioner

WAG Series



MODEL

Product #		WAG-A06KECO110E
Series		WAG-A
ENERGY STAR		-
Technical Performance		
Voltage	Volts	115V/60Hz
Cooling capacity	BTU/hr	6000
Used power input	W	550
Rated current	A	6
Energy efficiency rating	EER	11
Air flow volume	m ³ /hr	260/210/180
	cfm	153/129/112
Dehumidification	l/hr	0.8
	pt/day	40
Application area	sq. ft. (sq.m)	250 (23)
Sound level (Hi/Med/Lo)	dB	55/53/51
Operating ambient temperature	°C (°F)	16-31 (61-88)
Refrigerant		R32
Functions		
Electronic control		✓
Auto fan		✓
Timer		✓
Energy saving mode		-
Fan speeds mode with X speeds		3
Dehumidifying mode		✓
I FEEL mode		✓
Sleep mode		✓
Memory		✓
Self-diagnosis		-
Includes		
Washable filter		✓
Remote control with battery		✓
Window filling panel		✓
Mounting hardware		-
Dimension		
Product dimension	W x H x D	in. (mm) 15.98 x 15.52 x 12.2 (406 x 318 x 386)
Package dimension (ISTA 1A)	W x H x D	in. (mm) 18.0 x 14.76 x 16.96 (457 x 375 x 430)
ISTA 1A	Qty/40HQ	755

Standard color: White



FEATURES

IMPROVED AIR QUALITY – 3-IN-1

As well as an air conditioner, the unit helps to reduce humidity and mold, which improves the breathable air in the room.

COMPACT AND ECONOMIC

Enjoy cooler rooms at an affordable price.

DURABLE

Includes an anti-corrosive cover to prevent deterioration.

CLASSIC DESIGN

An understated look that blends into any room.

EASY TO CLEAN

Washable and reusable filter.

WARRANTY

- 1-year against defects


24H PROGRAMMABLE TIMER¹


The integrated timer can be used to start the air conditioning before you get home and stop it when you leave.

USEFUL FEATURES¹

- Programmable timer
- Sleep mode
- Energy saving mode
- Dehumidification mode
- “I Feel” mode
- 3-speed automatic ventilation
- Automatic restart function
- Includes wireless remote

¹ Except the WAG-C model.





Elegance & Performance

Performance beyond quiet (as low as 42dB on Quiet mode). Smart AI Inverter reaches colder temperatures faster and keeps the temperature more consistent. Pre-assembled frame for easier and faster installation. Up to 37% Energy Savings and energy Star certified to keep your bill low.

> Window Air Conditioner

WAG Series



MODEL

Product #		WAG-I08KECO150E	
Series		WAG-I	
ENERGY STAR		✓	
Technical Performance			
Voltage	Volts	115V/60Hz	
Cooling capacity	BTU/hr	8000	
Used power input	W	740	
Combined rated current	A	8.3	
Energy efficiency rating	CEER	15	
Air flow volume	m ³ /hr	330/280/250	
	cfm	194/165/147	
Dehumidification	l/hr	1.25	
	pt/day	63	
Application area	sq. ft. (sq.m)	350 (32)	
Sound level	dB	58/52/48	
Operating ambient temperature	°C (°F)	16-31 (61-88)	
Refrigerant		R32	
Functions			
Electronic control		✓	
Auto fan		✓	
Timer		✓	
Energy saving mode		✓	
Fan speeds mode with X speeds		3	
Dehumidifying mode		✓	
I FEEL mode		✓	
Sleep mode		✓	
Memory		✓	
Filter change indicator		✓	
Includes			
Washable filter		✓	
Remote control with battery		✓	
Window filling panel		✓	
Mounting hardware		-	
Dimension			
Product dimension	W x H x D	in. (mm)	20.67 x 19.25 x 13.39 (525 x 489 x 340)
Package dimension (ISTA 1A)	W x H x D	in. (mm)	24.21 x 20.47 x 14.76 (615 x 520 x 375)
ISTA 1A	Qty/40HQ		570

Standard color: White



FEATURES

QUIETER THAN A WHISPER

The heater's design was revisited to minimize the unit's noise footprint. It now has a noise output of 52 to 59 decibels.

IMPROVED AIR QUALITY – 3-IN-1

As well as an air conditioner, the unit helps to reduce humidity and mold, which improves the breathable air in the room.

COMPACT AND ECONOMIC

Enjoy cooler rooms at an affordable price.

DURABLE

Includes an anti-corrosive cover to prevent deterioration.

CLASSIC DESIGN

An understated look that blends into any room.

WARRANTY

- 1-year against defects

EASY TO CLEAN

Washable and reusable filter.

24H PROGRAMMABLE TIMER

The integrated timer can be used to start the air conditioning before you get home and stop it when you leave.

USEFUL FEATURES

- Programmable timer
- Sleep mode
- Energy saving mode
- Dehumidification mode
- "I Feel" mode
- 3-speed automatic ventilation
- Automatic restart function
- Includes wireless remote

